

HP OfficeJet Pro 9125e All-in-One Printer

Active 403X0AR [Series](#) →

Specifications

All Specs

Acoustic power emissions (active, printing)	6.8 B(A) (printing at 20ppm) (6.8 B(A) (printing at 20ppm))
Acoustic pressure emissions	61 dB(A) (printing at 20ppm) (61 dB(A) (printing at 20ppm))
Auto fax reduction supported	Yes
Automatic document feeder capacity	Standard, 35 sheets
Automatic paper sensor	No
Bit depth	24-bit
Borderless printing	Yes, on photo paper only, up to 8.5 x 11 in (US letter), 210 x 297 mm (A4)
Bottom margin (A4)	3.3 mm
Camera phone supported	Yes
Color copy capability	Yes
Color or black	Color
Color scanning	Yes
Color(s) of printing supplies	Black, cyan, magenta, yellow
Compatible Network Operating Systems	Windows 11; Windows 10; Windows Server; macOS 11 Big Sur; macOS 12 Monterey; macOS 13 Ventura; macOS 14 Sonoma; Linux; Chrome OS
Compatible Operating Systems	Windows 11; Windows 10; Windows Server; macOS 11 Big Sur; macOS 12 Monterey; macOS 13 Ventura; macOS 14 Sonoma; Linux; Chrome OS
Compliance alliances	Wi-Fi Alliances; Blue Tooth SIG Certification; Mopria Certification.
Connectivity, standard	1 Ethernet; 1 Hi-Speed USB 2.0 (device); 1 Hi-Speed USB 2.0 (host); 1 Wi-Fi 802.11 a/b/g/n/ac (dual band); 2 RJ-11 Fax/Modem port/phone line
Control panel	2.7" (6.86 cm) touchscreen control panel with CGD (color graphic display); 3 buttons: (home, help, back)
Copier settings	Number of Copies; Two-Sided; Lighter/Darker; HP Copy Fix; ID Copy; Resize; Quality; Paper Size; Paper Type; Collate; Margin Shift; Crop; Copy Preview; Enhancements
Copier smart software features	Two-Sided; Lighter/Darker; ID Copy; Resize; Quality; Paper Size; Paper Type; Collate; Margin Shift; Crop; Copy Preview; Enhancements
Copies, maximum	Up to 99 copies
Copy reduce / enlarge settings	25 to 400%
Copy resolution (black graphics)	Up to 600 dpi
Copy resolution (black text)	Up to 600 dpi

Copy resolution (color text and graphics)	Up to 600 dpi
Copy speed black (best, A4)	Up to 5 cpm
Copy speed black (best, letter)	Up to 5 cpm (Up to 5 cpm)
Copy speed black (draft, letter)	Up to 28 cpm
Copy speed black (ISO)	Up to 21 cpm
Copy Speed Black (maximum, A4)	Up to 28 cpm
Copy speed color (best, A4)	Up to 4 cpm
Copy speed color (best, letter)	Up to 4 cpm (Up to 4 cpm)
Copy speed color (draft, letter)	Up to 21 cpm
Copy speed color (ISO)	Up to 14 cpm
Copy Speed Color (maximum, A4)	Up to 21 cpm
Country of origin	Product of Thailand
Digital sending standard features	Scan-to E-mail; Scan to network folder; scan to SharePoint; Scan to thumb drive
Display	2.7" (6.86 cm) Capacitive Touchscreen CGD
Distinctive ring detection supported	Yes
Duplex printing	Automatic
Duty cycle (monthly, A4)	Up to 25,000 pages
Duty cycle (monthly, letter)	Up to 25,000 pages
Duty cycle note	Duty cycle is defined as the maximum number of pages per month of imaged output. This value provides a comparison of product robustness in relation to other HP Color InkJet devices.
Electromagnetic compatibility	CISPR 32:2015 + AMD1:2019 / EN 55032:2015 + A11:2020 Class B; CISPR 24:2010 / EN 55024:2010; CISPR 35:2016 / EN 55035:2017+A11:2020; EN 61000-3-2:2014 / IEC 61000-3-2:2014; EN 61000-3-3:2013 / IEC 61000-3-3:2013; EN 301 489-1 V2.2.3; EN 301 489-17 V3.2.4; FCC CFR 47 Part 15 Class B; ICES-003, Issue 7 Class B; VCCI-CISPR 32:2016 Class B
Energy savings feature technology	Schedule On and Schedule Off
Enhanced scanning resolution	Up to 1200 dpi
Envelope Feeder	No
Fax Auto Redial	Yes
Fax Broadcast Locations	20
Fax delayed sending	Yes
Fax forwarding	Yes (black only)
Fax memory	Up to 100 pages (Up to 100 pages)
Fax Memory Note	Based on standard ITU-T test image #1 at standard resolution. More complicated pages or higher resolution will take longer and use more memory.

Fax Modem Speed	Synaptics Troy modem; data rate up to 33.6 kbps
Fax PC Interface Supported	Yes, HP Software support provided
Fax phone TAM interface supported	No
Fax Polling	No
Fax Remote Retrieval	No
Fax Resolution Black (best)	300 x 300 dpi
Fax resolution color (fine)	200 x 200 dpi
Fax resolution color (standard)	200 x 200 dpi
Fax smart software features	Digital Fax - Fax to PC is available with Windows (Please use: Visit http://www.hp.com/support to download the latest software.
Fax Speed Dials, Maximum Number	Not Supported
Fax telephone mode supported	No
Fax Transmission Speed	4 sec per page
Fax transmission speed (letter)	4 sec per page
Fax Transmission Speed Note	Based on standard ITU-T test image #1 at standard resolution. More complicated pages or higher resolution will take longer and use more memory.
Faxing	Yes, color
Faxing options (ADF)	Two-sided
File Format Supported	PDF; TIFF; JPEG
Finished output handling	Sheet Feed
First copy out black (letter)	As fast as 8 sec
First copy out color (letter)	As fast as 10 sec
First page out black (A4, ready)	As fast as 10 sec
First page out black (letter, ready)	As fast as 10 sec
First page out color (A4, ready)	As fast as 11 sec
First page out color (letter, ready)	As fast as 11 sec
Functions	Print, copy, scan, fax
HP Real Life technologies™	Default=OFF
Image scaling or enlargement range	25 to 400%
Ink types	Pigment-based (black and color)
Input capacity	Up to 250 sheets
Instant ink	HP Instant Ink eligible. For more information visit https://www.hpinstantink.com

Internal Storage	None
Junk fax barrier	Yes
Left margin (A4)	3.3 mm
Levels of grayscale	256
Mac compatible	Yes
Manufacturer Warranty	One-Year limited hardware warranty with option to extend to two-years with acceptance of HP+ Offer. For more information, please visit us at http://support.hp.com [8]
Maximum input capacity (4x6 photo)	Up to 50 sheets
Maximum input capacity (10x15cm photos)	Up to 50 sheets
Maximum input capacity (cards)	Up to 50 cards
Maximum Input Capacity (envelopes)	Up to 30 envelopes
Maximum input capacity (labels)	Up to 50 sheets
Maximum input capacity (photo paper)	Up to 50 sheets
Maximum input capacity (sheets)	Up to 250 sheets
Maximum Memory	512MB
Maximum output capacity (cards)	Up to 30 cards
Maximum output capacity (envelopes)	Up to 10 envelopes
Maximum output capacity (labels)	Up to 30 sheets
Maximum output capacity (photo paper)	Up to 30 sheets
Maximum output capacity (sheets)	Up to 60 sheets
Maximum print area	216 x 356 mm (Legal)
Media sizes supported	Letter; Legal; Government Legal; Executive; Statement; 3 x 5 in; 4 x 6 in; 5 x 7 in; 13 x 18 cm; 8 x 10 in; 10 x 15 cm; L; Photo 2L; Envelope #10, Monarch, 5.5 bar); Card (3 x 5 in, 4 x 6 in, 5 x 8 in) (A4, A5, A6, B5(JIS), Card (A4, Hagaki); Photo (13 x 18 cm, 10 x 15 cm); Envelope (A2, C5, C6, DL, Chou #3, Chou #4); 8.5 x 13 in)
Media sizes supported, key	4 x 6 in; Letter; Legal; Envelopes (10 x 15 cm; A4; Envelopes)
Media sizes, custom	Tray 1: 3 x 5 to 8.5 x 14; 5 x 8.3 to 8.5 x 14 in (Tray 1: 76.2 x 127 to 215.9 x 355.6 mm)
Media types	Plain Paper, HP Photo Papers, HP Matte Brochure or Professional Paper, HP Matte Presentation Paper, HP Glossy Brochure or Professional Paper, Other Photo Inkjet Papers, Other Matte Inkjet Papers, Other Glossy Inkjet Papers, Thick Plain Paper, Light/Recycled Plain Paper, HP Tri-fold Brochure Paper, Glossy
Media weight, recommended	16 to 28 lb (plain paper); 60 to 75 lb (photo); 20 to 24 lb (envelope); 90 to 110 lb (card) (60 to 105 g/m ² (plain); 220 to 280 g/m ² (photo); 75 to 90 g/m ² (envelope); 163 to 200 g/m ² (card))
Media weight, supported	16 to 28 lb (plain paper); 60 to 75 lb (photo); 20 to 24 lb (envelope); 90 to 110 lb (card) (60 to 105 g/m ² (plain); 220 to 280 g/m ² (photo); 75 to 90 g/m ² (envelope); 163 to 200 g/m ² (card))

Memory	512MB
Minimum System Requirements	Windows 11, 10: 32-bit or 64-bit, 2 GB available hard disk space, Internet connection, Internet Explorer.
Minimum System Requirements for Macintosh	Apple macOS v11 Big Sur; macOS v12 Monterey, macOS v13 Ventura, 2GB HD, Internet Required
Mobile printing capability	Chrome OS; HP Smart app; Apple AirPrint™; Wi-Fi® Direct Printing; Mopria™ Certified
Model number	9125e
Modem	Synaptics Troy modem; data rate up to 33.6 kbps
Multitasking supported	Yes
Network capabilities	Yes, via built-in Ethernet; Wireless 802.11a/b/g/n/ac
Network protocols, supported	Supported Network Protocols configurations (IPv4, IPv6); DHCPv4, DHCPv6; DHCP options: 81/RFC4702/RFC4704, 12-Hostname; 44; SMTP client; LLMNR; Bonjour/mDNS; LP/ APIPA (Auto IP); NetBIOS/WINS; LPR/LPD; Port9100; DNS Resolver; SNMPv1/v2; Web Services Discovery; Web Services Print; Syslog; Firewall; SSL/TLS (HTTPS); Password-protected network Embedded Web server; Enable/disable network ports & device features, 802.1x wireless authentication (EAP-TLS, LEAP, and PEAP) & 802.1 Wired
Number of print cartridges	4 (1 each black, cyan, magenta, yellow)
Number of users	1-5 Users (1-5 Users)
Operating altitude	10,000 ft (3,000 m)
Operating humidity range	20 to 80% RH
Operating system (supported note)	Value is confirmed Windows Server 2016 64-bit, Windows Server 2019 64-bit, Windows Server 2022 64-bit, linux (for more information see http://developers.hp.com/hp-linux-imaging-and-printing)
Operating temperature range	41 to 104°F
Orderable supplies	HP 936 Black Original Ink Cartridge 4S6V2LN, HP 936 Cyan Original Ink Cartridge 4S6U9LN; HP 936 Magenta Original Ink Cartridge 4S6V0LN; HP 936 Yellow Original Ink Cartridge 4S6V1LN; HP EvoMore planned to be available April 2024: HP 936e EvoMore Black Original Ink Cartridge 4S6V6LN; HP 936e EvoMore Cyan Original Ink Cartridge 4S6V3LN; HP 936e EvoMore Magenta Original Ink Cartridge 4S6V4LN; HP 936e EvoMore Yellow Original Ink Cartridge 4S6V5LN
Output capacity	Up to 60 sheets
Output file format	PDF; TIFF; JPEG (scan to Thumbdrive)
Page yield (set-up/inbox cartridges)	~800 pages black, ~420 pages cyan, magenta, yellow composite
Paper handling input, standard	250-sheet input tray; 35-sheet ADF
Paper handling output, standard	60-sheet output tray
Paper trays, maximum	1
Paper trays, standard	1
Plug and play	Auto Wireless Connect; HP Smart Install
Power	Input voltage: 100 to 240 VAC (+/- 10%), 50/60 Hz
Power consumption	5.06 watts (ready), 1.22 watts (sleep), 0.14 watts (manual-off)
Power consumption Note	Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty.
Power supply type	Internal (Built-in) Universal Power Supply

Print colors	Yes
Print colors maximum	4
Print head nozzles	Total Print Head nozzles 6272
Print heads	4 (1 each black, cyan, magenta, yellow)
Print languages	HP PCL3 GUI
Print quality black (best)	1200 x 1200 rendered dpi
Print quality color (best)	Up to 4800 x 1200 optimized dpi on HP Advance Photo Paper 1200 x 1200 dpi input
Print Resolution Technologies	HP Thermal Inkjet
Print speed	Print speed up to 22 ppm (black) and 18 ppm (color)
Print speed black (best, A4)	Up to 5 ppm
Print speed black (best, letter)	Up to 5 ppm
Print speed black (draft, A4)	Up to 32 ppm
Print speed black (draft, letter)	Up to 32 ppm
Print speed black (ISO, A4)	Up to 22 ppm
Print speed black (ISO, letter)	Up to 22 ppm
Print speed black (ISO)	Up to 22 ppm
Print speed color (draft, A4)	Up to 32 ppm
Print speed color (draft, letter)	Up to 32 ppm
Print speed color (ISO)	Up to 18 ppm
Print Speed Color (ISO)	Up to 18 ppm
Print speed color (normal, 4x6 photo)	As fast as 39 sec
Print speed color (normal, 10x15 photo)	As fast as 39 sec
Print speed duplex (A4)	Up to 12 ipm
Print speed duplex (letter)	Up to 12 ipm (Up to 12 ipm)
Print Technology	Ink
Print technology	HP Thermal Inkjet
Printer drivers included	Windows HP Driver (PCL3), Linux, UNIX, SAP
Printer Management	Embedded Web Server
Printer smart software features	Orientation: Portrait/Landscape; Print on Both Sides: None/Flip on Long Edge/Flip on Short Edge; Page Order: Front to Back/Back to Front; Pages per Sheet: 1, 2, 4, 6, 9, 16; Quality Settings: Draft/Normal/Best; Printing Shortcuts; Print in Grayscale: Off/High Quality Grayscale/Black Ink Only; Pages per Sheet Layout: Right then Down/Down then Right/Left then Down/Down then Left; Print in Max DPI: No/Yes; HP Real Life Technologies: Off/On; Booklet: None/Booklet-Left Binding/Booklet-Right Binding; Pages to Print: Print All Pages/Print Odd Pages Only/Print Even Pages Only; Borderless Printing: Off/On; Page Borders: Off/On;
Processor speed	1.2 GHz

Product long name specifications	HP OfficeJet Pro 9125e All-in-One Printer, Color Printer for Small medium business, Print, copy, scan, fax, Wireless; Scan to email; Scan to PDF; Two-sided scanning; Two-sided printing; Automatic document feeder; Print from phone or tablet; Fax; Touchscreen; Front USB flash drive port
Product name (back)	HP OfficeJet Pro 9125e All-in-One Printer
Product name (front)	HP OfficeJet Pro 9125e All-in-One Printer
Product name (primary)	HP OfficeJet Pro 9125e All-in-One Printer
Product name (secondary)	HP OfficeJet Pro 9125e All-in-One Printer
Product short name specifications	HP OfficeJet Pro 9125e All-in-One Color Printer
Recommended Macintosh system requirements	Apple macOS v11 Big Sur; macOS v12 Monterey, macOS v13 Ventura, 2GB HD, Internet Required
Recommended monthly page volume	Up to 1500
Recommended operating humidity range	25 to 75% RH
Recommended operating temperature range	59 to 90°F
Registration required	No
Replacement cartridges	HP 936 Black Original Ink Cartridge (~1,250 pages) 4S6V2LN, HP 936 Cyan Original Ink Cartridge (~800 pages) 4S6U9LN; HP 936 Magenta Original Ink Cartridge (~800 pages) 4S6V0LN; HP 936 Yellow Original Ink Cartridge (~800 pages) 4S6V1LN. HP EvoMore planned to be available April 2024: HP 936e EvoMore Black Original Ink Cartridge (~2,500 pages) 4S6V6LN; HP 936e EvoMore Cyan Original Ink Cartridge (~1,650 pages) 4S6V3LN; HP 936e EvoMore Magenta Original Ink Cartridge (~1,650 pages) 4S6V4LN; HP 936e EvoMore Yellow Original Ink Cartridge (~1,650 pages) 4S6V5LN. Actual yield varies considerably based on content of printed pages and other factors. For details, see https://www.hp.com/go/learnaboutequipment .
Resolution (black and white, standard mode)	200 x 100 dpi
Resolution (black photo grayscale)	Not Supported
Right margin (A4)	3.3 mm
RMN number	SNPRC-1803-01
Safety	IEC 60950-1:2005 +A1:2009 +A2:2013; IEC 62368-1:2014; EN 62368-1:2014 +A11:2017; IEC 62368-1: 2018; EN IEC 62368-1:2020 + A11:2020; EN 62311:2008; EN 62479:2010; UL 62368-1 & CAN/CSA C22.2 No. 62368-1-14.
Scan file format	JPG, BMP, TIFF, PDF, RTF, TXT, PNG
Scan input modes	Front-panel scan, copy, HP Software, EWS, Mobile apps
Scan resolution, hardware	Up to 1200 x 1200 dpi
Scan resolution, optical	Up to 1200 dpi
Scan size (ADF), maximum	8.5 x 14 in (215.9 x 355.6 mm)
Scan size (ADF), minimum	5 x 5 in (127 X 127 mm)
Scan size, maximum	8.5 x 11.7 in (215.9 x 297 mm)
Scan speed (normal, A4)	Up to 8 ipm (200 ppi, b&w); Up to 8 ipm (200 ppi, color)
Scan speed (normal, letter)	Up to 8 ipm (200 ppi, b&w); Up to 8 ipm (200 ppi, color)

Scan speed duplex (normal, A4)	Up to 4 ipm (200 ppi, b&w); Up to 4 ipm (200 ppi, color)
Scan speed duplex (normal, letter)	Up to 4 ipm (200 ppi, b&w); Up to 4 ipm (200 ppi, color) (Up to 4 ipm (200 ppi, b&w); Up to 4 ipm (200 ppi, color))
Scan technology	Contact Image Sensor (CIS)
Scanner advanced features	OCR (Optical Character Recognition); Smart Tasks shortcuts: 1-click customizable scan to cloud destinations, email, and print, create editable, searchable documents by scanning from phone or printer; Smart Tasks destinations: Dropbox, Google Drive, One drive, email recipients
Scanner type	Easy slide-off glass, dual pass 2-sided ADF
Security management	SSL/TLS (HTTPS); IPP over TLS; WPA2-Enterprise; WPA2-Personal; WPA3; Certificates configuration; Password protect EWS; Signed firmware;
Segment (filter)	Small medium business
Send to email capability	Yes, PC required
Service & support options	With services, software, solutions and support from HP, you can use, protect and enjoy your HP technology. Free technical support during warranty period. Access to world-class support services through http://www.hp.com/support .
Software included	HP Printer Software
Standard input capacity (cards)	Up to 50 cards
Standard input capacity (envelopes)	Up to 30 sheets
Standard input capacity (legal)	Up to 250 sheets
Standard media sizes (duplex, imperial)	Letter; executive; Not supported for borderless photo (Letter; executive; Not supported for borderless photo)
Standard media sizes (duplex)	A4; B5; Not supported for borderless photo
Standard output capacity (cards)	Up to 30 cards
Standard output capacity (envelopes)	Up to 10 envelopes
Standard output capacity (labels)	Up to 30 sheets
Standard output capacity (legal)	Up to 60 sheets
Storage altitude	15,000 ft (4,500 m)
Storage device and direct print support	Storage devices not supported
Storage temperature range	-40 to 140°F
Supplies feature	HP Instant Ink eligible
Sustainable impact specifications	Forest First product with HP+; Recyclable through HP Planet Partners
System requirements, recommended	Windows 11, 10: 32-bit or 64-bit, 2 GB available hard disk space, Internet connection, Internet Explorer.
Target user and print volume	For teams up to 5 users; Prints up to 1,500 pages/month (For teams up to 5 users; Prints up to 1,500 pages/month)
Technical features	Borderless Printing; ADF; Touchscreen; AirPrint; Wireless Direct; Wireless; Automatic two-sided printing; HP Printables; Self-healing WiFi
Telecom compliance (fax capability)	FCC Rules and Regulations 47 CFR Part 68/ TIA-968-B ES 203 021-2 / ES 203 021-3; EN 300 328 V2.2.2; EN 301 893 V2.1.1; EN 300 440 V2.1.1; EU: Radio Equipment Directive 2014/53/EU;

Telephone handset supported	No
Top key features	HP+; HP Instant Ink eligible; Print from phone or tablet; Touchscreen; Smart Advance Scan; Instant Paper; Front USB flash drive port; Two-sided printing; Two-sided scanning; Automatic document feeder; Fax
Top margin (A4)	3.3 mm
Twain version	Version 2.4
UNSPSC code	43212104
Web solutions	Wolf Pro Security; Scan to Email; HP app; HP+; Instant Ink
What's in the box	HP OfficeJet Pro 9125e AiO Printer; HP 936 Setup Black Ink Cartridge; HP 936 Setup Cyan Ink Cartridge; HP 936 Setup Magenta Ink Cartridge; HP 936 Setup Yellow Ink Cartridge; Regulatory Flyer; Ink Caution Flyer; Power Cord; Setup Poster; Reference Guide [For more information about fill and yield, see http://www.hp.com/go/learnaboutsupplies]
Wireless capability	Yes, with built-in dual-band Wi-Fi 802.11 a/b/g/n/ac and a self-heal solution
Wireless technologies	802.11a/b/g/n/ac 1x1 (2.4/5GHz) with BLE

Logistics

Cartons per layer	AMS/AP:7; EMEA: 7
Count of layers in pallet	NA/EMEA/AP: 5; LA:6
Country of origin	Product of Thailand
Dimensions (W x D x H) Note	Dimensions vary as per configuration
Dimensions with trays up (W x D x H)	439.3 x 382.5 x 278 mm (Input Tray A4 Ready)
Geographic availability	WW
Maximum dimensions (W x D x H)	17.3 x 20.46 x 10.94 in (Output Tray Extend) (439.3 x 519.8 x 278 mm (Output Tray Extend))
Minimum dimensions (W x D x H)	17.3 x 13.48 x 10.94 in (Minimum Storage Mode) (439.3 x 342.5 x 278 mm (Minimum Storage Mode))
Package dimensions (W x D x H)	19.17 x 12.80 x 16.10 in (487 x 325 x 409 mm)
Package weight	24.24 lb (NA/EMEA : 12.11kg; LA/AP :11.35 kg)
Pallet dimensions	LA : 48 x 40 x 101.73 in; NA 48 x 40 x 85.51 in; EMEA : 47.24 x 39.37 x 86.65 ; AP : 48 x 40 x 86.5 in (LA : 48 x 40 x 101.73 in; NA 48 x 40 x 85.51 in; EMEA : 47.24 x 39.37 x 86.65 ; AP : 48 x 40 x 86.5 in)
Pallet dimensions (W x D x H)	LA : 48 x 40 x 101.73 in; NA 48 x 40 x 85.51 in; EMEA : 47.24 x 39.37 x 86.65 ; AP : 48 x 40 x 86.5 in (LA: 1220x1014x2584 mm; NA: 1220 x 1014 x 2172 mm; EMEA: 1200 x 1000 x 2200 mm; AP: 1219 x 1016 x 2197 mm)
Quantity per pallet	NA/EMEA/AP: 35; LA : 42
RMN number	SNPRC-1803-01
UNSPSC code	43212104
UPC number	198415313508
Weight	~ 20.48 lb (~ 9.29 kg)
What's in the box	HP OfficeJet Pro 9125e AiO Printer; HP 936 Setup Black Ink Cartridge; HP 936 Setup Cyan Ink Cartridge; HP 936 Setup Magenta Ink Cartridge; HP 936 Setup Yellow Ink Cartridge; Regulatory Flyer; Ink Caution Flyer; Power Cord; Setup Poster; Reference Guide [For more information about fill and yield, see http://www.hp.com/go/learnaboutsupplies]

Specifications

[1] Dimensions vary as per configuration

[2] Weight varies as per configuration

[3] Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty.

[4] Wireless performance is dependent upon physical environment and distance from the access point. Wireless operations are compatible with 2.4 GHz routers only; excludes wireless direct. Wireless direct may require driver or apps be installed and connected on wireless-enabled mobile device or PC. Wireless functionality may vary by computer and mobile operating systems, see hpconnected.com. Separately purchased data plans or usage fees may apply. Print times and connection speeds may vary. AirPrint supports OS X® Lion, OS X® Mountain Lion and the following devices running iOS 4.2 or later: iPad®, iPhone® (3GS or later), iPod touch® (3rd generation or later) and requires the printer be connected to the same network as your OS X or iOS device. AirPrint, the AirPrint Logo, iPad, iPhone, and iPod touch are trademarks of Apple® Inc. Windows is a trademark of the Microsoft group of companies. BlackBerry® names and logos are the property of Research In Motion Limited. Android is a trademark of Google Inc.

[5] Speed specifications have been updated to reflect current industry testing methods.

[6] Either after first page or after first set of ISO test pages. For details see <http://www.hp.com/go/printerclaims>

[7] HP recommends that the number of printed pages per month be within the stated range for optimum device performance, based on factors including supplies replacement

[8] For full terms and conditions visit: www.hp.com/go/orderdocuments . Warranty and support options vary by product, country, and local legal requirements.

Legal disclaimer

Energy Star, "Works with Windows 10" logo, "Wireless; Print; Scan; Copy"; AirPrint™; 2-sided print; 4 individual inks; Mopria™-certified, WiFi certified, MFi, Works with Apple iBeacon,
Download on the App Store, Get it on Google Play, Get it from Microsoft, Bluetooth Smart